

# FOGRA39 vs. ISO Coated v2

Converted from Adobe RGB

Rendering Intent: Relative Colorimetric



From Adobe RGB	255,0,0	0,255,0	0,0,255	0,255,255	255,0,255	255,255,0
Converted to FOGRA39 (CMYK) Relative Colorimetric	<b>0,92,80,0</b>	<b>96,0,100,0</b>	<b>93,74,0,0</b>	<b>84,0,20,0</b>	<b>24,75,0,0</b>	<b>12,0,100,0</b>
L*a*b*	52,69,46	54,-68,34	33,10,-48	62,-40,-29	54,48,-16	89,-10,94
Converted to ISO coated v2 (CMYK) Relative Colorimetric	<b>0,89,99,0</b>	<b>76,0,100,0</b>	<b>96,100,0,0</b>	<b>76,0,38,0</b>	<b>23,81,0,0</b>	<b>2,0,95,0</b>
L*a*b*	52,67,61	61,-51,47	22,31,-50	65,-41,-11	51,56,-15	93,-6,96
$\Delta E$ (FOGRA39 vs ISO Coated v2)	<b>15,13</b>	<b>22,52</b>	<b>23,79</b>	<b>18,28</b>	<b>8,60</b>	<b>6,00</b>
$\Delta H$ (FOGRA39 vs ISO Coated v2)	<b>13,04</b>	<b>20,33</b>	<b>18,68</b>	<b>16,63</b>	<b>3,25</b>	<b>4,47</b>

© Vitor Pedro, 2011

